



RDA-B Series (Brass Part D x A) Female Coupler X Male Coupler

GENERAL APPLICATIONS

Kuriyama Camlock Couplings are intended for use in many industrial applications. To learn more, please refer to pages 296-297 in this catalog.

FEATURES AND ADVANTAGES

- High quality design made to withstand rigorous applications found in industrial markets.
- Brass alloy is specially designed for high tensile strength, impact resistance, and rigidity.
- Forged brass handles result in less wear on connecting parts.

MATERIAL SPECIFICATIONS

- ASTM brass alloy.
- Complies with Mil-Spec A-A-59326 for interchangeability.
- Forged brass handles.
- 304 stainless steel handle pins and pull rings.
- Buna-N gasket included.

VIEW ONLINE



SCAN FOR INFO
or visit
KOA.link/RDA-B

Part Number	Female Coupler Size (in)	Male Coupler Size (in)	PSI Rating at 70°F	ASTM Specification	Weight Each (lbs)	Standard Carton
RDA-B2030	2	3	150	B584 Grade C85700	2.86	6
RDA-B3020	3	2	150	B584 Grade C85700	6.12	6
RDA-B4020	4	2	150	B584 Grade C85700	7.07	6
RDA-B4030	4	3	150	B584 Grade C85700	9.42	6

Because we continually examine ways to improve our products, we reserve the right to alter specifications or discontinue products without prior notice.