



**PPA90 Series (Polypropylene Part A x Female NPT 90° Elbow)**  
Male Coupler X Female NPT

**PPF90 Series (Polypropylene Part A x Male NPT 90° Elbow)**  
Male Coupler x Male NPT

**GENERAL APPLICATIONS**

Kuriyama Camlock Couplings are intended for use in many industrial applications. To learn more, please refer to pages 296-297 in this catalog.

**FEATURES AND ADVANTAGES**

- Polypropylene material is glass filled for added strength and durability.
- Extremely lightweight yet strong.
- Precision molded to ensure consistency in form and function.
- Economical when compared with other materials.

**MATERIAL SPECIFICATIONS**

- Glass filled polypropylene.
- Complies with Mil-Spec A-A-59326 for interchangeability in relevant sizes.

**VIEW ONLINE**



SCAN FOR INFO  
or visit  
[KOA.link/PPx90](https://KOA.link/PPx90)

Part Number	Size (in)	PSI Rating at 70°F	Weight Each (lbs)	Standard Carton
PP150A90	1 1/2	100	0.23	24
PP200A90	2	100	0.36	24

Part Number	Size (in)	PSI Rating at 70°F	Weight Each (lbs)	Standard Carton
PP150F90	1 1/2	100	0.27	24
PP200F90	2	100	0.41	24

Because we continually examine ways to improve our products, we reserve the right to alter specifications or discontinue products without prior notice.