





## Quick Disconnect Couplings




**Coupler with Female Thread (NPTF)**

Part Number	Body Size (in)	Thread Size (in)	Weight Each (lbs)	Standard Carton
QDAC-4FC	1/4	1/4	0.23	10
QDAC-6FC	1/4	3/8	0.23	10



**Plug with Female Thread (NPTF)**

Part Number	Body Size (in)	Thread Size (in)	Weight Each (lbs)	Standard Carton
QDAP-4FP	1/4	1/4	0.05	10
QDAP-6FP	1/4	3/8	0.05	10




**Coupler with Male Thread (NPTF)**

Part Number	Body Size (in)	Thread Size (in)	Weight Each (lbs)	Standard Carton
QDAC-4MC	1/4	1/4	0.23	10
QDAC-6MC	1/4	3/8	0.23	10




**Plug with Male Thread (NPTF)**

Part Number	Body Size (in)	Thread Size (in)	Weight Each (lbs)	Standard Carton
QDAP-4MP	1/4	1/4	0.05	10
QDAP-6MP	1/4	3/8	0.05	10



**Coupler with Hose Barb**

Part Number	Body Size (in)	Barb Size (in)	Weight Each (lbs)	Standard Carton
QDAC-4HC	1/4	1/4	0.23	10
QDAC-6HC	1/4	3/8	0.23	10



**Plug with Hose Barb**

Part Number	Body Size (in)	Barb Size (in)	Weight Each (lbs)	Standard Carton
QDAP-4HP	1/4	1/4	0.05	10
QDAP-6HP	1/4	3/8	0.05	10

## Garden Hose Fittings



**Garden Hose Fitting Set**

Part Number	Size (in)	Thread	Weight Each (lbs)	Standard Carton
BRGHT050	1/2	GHT	0.25	180
BRGHT062	5/8	GHT	0.25	180
BRGHT075	3/4	GHT	0.25	180
BRNPS100	1	NPS	0.49	120



**Female Garden Hose Fitting**


Part Number	Size (in)	Thread	Weight Each (lbs)	Standard Carton
BRGHT-FEM050	1/2	GHT	0.12	360
BRGHT-FEM062	5/8	GHT	0.12	360
BRGHT-FEM075	3/4	GHT	0.12	360
BRNPS-FEM100	1	NPS	0.25	240

Because we continually examine ways to improve our products, we reserve the right to alter specifications or discontinue products without prior notice.






## Brass Push-On Fittings



**Male Pipe (NPTF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFMP-0402	1/4	1/8	1/8 - 27	0.031	100
POFMP-0404	1/4	1/4	1/4 - 18	0.044	100
POFMP-0406	1/4	3/8	3/8 - 18	0.055	50
POFMP-0604	3/8	1/4	1/4 - 18	0.053	50
POFMP-0606	3/8	3/8	3/8 - 18	0.071	50
POFMP-0608	3/8	1/2	1/2 - 14	0.119	25
POFMP-0808	1/2	1/2	1/2 - 14	0.121	25
POFMP-1008	5/8	1/2	1/2 - 14	0.143	25
POFMP-1012	5/8	3/4	3/4 - 14	0.190	25
POFMP-1208	3/4	1/2	1/2 - 14	1.960	25
POFMP-1212	3/4	3/4	3/4 - 14	1.940	25



**Female Pipe (NPTF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFFP-0402	1/4	1/8	1/8 - 27	0.029	100
POFFP-0404	1/4	1/4	1/4 - 18	0.049	100
POFFP-0604	3/8	1/4	1/4 - 18	0.055	50
POFFP-0606	3/8	3/8	3/8 - 18	0.064	50
POFFP-0806	1/2	3/8	3/8 - 18	0.077	50
POFFP-0808	1/2	1/2	1/2 - 14	0.099	25
POFFP-1008	5/8	1/2	1/2 - 14	0.119	25
POFFP-1212	3/4	3/4	3/4 - 14	0.234	25




**Male Pipe Swivel (NPTF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFMPS-0404	1/4	1/4	1/4 - 18	0.062	50
POFMPS-0606	3/8	3/8	3/8 - 18	0.090	25
POFMPS-0808	1/2	1/2	1/2 - 14	0.143	25
POFMPS-1212	3/4	3/4	3/4 - 14	0.249	25




**Female Pipe Swivel (NPTF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFFPS-0404	1/4	1/4	1/4 - 18	0.060	50
POFFPS-0606	3/8	3/8	3/8 - 18	0.093	50
POFFPS-0808	1/2	1/2	1/2 - 14	0.117	50
POFFPS-1212	3/4	3/4	3/4 - 14	0.214	25



**Male Pipe 90 Degree Elbow (NPTF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFMPE-0404	1/4	1/4	1/4 - 18	0.062	50
POFMPE-0606	3/8	3/8	3/8 - 18	0.088	25
POFMPE-0808	1/2	1/2	1/2 - 14	0.165	25
POFMPE-1212	3/4	3/4	3/4 - 14	0.293	25




**Hose Mender**

Part Number	Size (in)	Weight Each (lbs)	Standard Carton
POFMMD-0404	1/4	0.026	100
POFMMD-0606	3/8	0.046	50
POFMMD-0808	1/2	0.073	50
POFMMD-1010	5/8	0.130	25
POFMMD-1212	3/4	0.159	25

Because we continually examine ways to improve our products, we reserve the right to alter specifications or discontinue products without prior notice.




## Brass Push-On Fittings



**Male JIC 37 Degree Flare (UNF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFMJS-0404	1/4	1/4	7/16 - 20	0.035	100
POFMJS-0406	1/4	3/8	9/16 - 18	0.053	100
POFMJS-0606	3/8	3/8	9/16 - 18	0.060	50
POFMJS-0808	1/2	1/2	3/4 - 16	0.121	50
POFMJS-1212	3/4	3/4	1 1/16 - 12	0.291	25




**Female JIC 37 Degree Swivel (UNF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFFJS-0606	3/8	3/8	9/16 - 18	0.064	50
POFFJS-1212	3/4	3/4	1 1/16 - 12	0.220	25



**Male SAE 45 Degree Flare (UNF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFMSA-0404	1/4	1/4	7/16 - 20	0.029	100
POFMSA-0606	3/8	3/8	9/16 - 18	0.071	50
POFMSA-0808	1/2	1/2	3/4 - 16	0.112	50
POFMSA-1212	3/4	3/4	1 1/16 - 12	0.324	25



**Female SAE 45 Degree Swivel (UNF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFFSA-0606	3/8	3/8	9/16 - 18	0.071	100
POFFSA-1212	3/4	3/4	1 1/16 - 12	0.262	25



**Female JIC 37 Degree/SAE 45 Degree Swivel (Dual Angle Seat) (UNF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFFJS-0404	1/4	1/4	7/16 - 20	0.040	100
POFFJS-0808	1/2	1/2	3/4 - 16	0.097	25
POFFJS-0810	1/2	5/8	7/8 - 14	0.130	25
POFFJS-1010	5/8	5/8	7/8 - 14	0.172	25



**Male Inverted Flare (UNF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFMIV-0404	1/4	1/4	7/16 - 24	0.031	100
POFMIV-0405	1/4	5/16	1/2 - 20	0.037	100
POFMIV-0606	3/8	3/8	5/8 - 18	0.071	100
POFMIV-0808	1/2	1/2	3/4 - 16	0.106	50
POFMIV-1010	5/8	5/8	7/8 - 14	0.148	25



**Female Inverted Flare (UNF Threads)**

Part Number	Hose Size (in)	Fitting Size (in)	Thread (in-TPI)	Weight Each (lbs)	Standard Carton
POFFIV-0404	1/4	1/4	7/16 - 24	0.024	100
POFFIV-0405	1/4	5/16	1/2 - 20	0.026	100
POFFIV-0606	3/8	3/8	5/8 - 18	0.053	50
POFFIV-0808	1/2	1/2	3/4 - 16	0.079	25

Because we continually examine ways to improve our products, we reserve the right to alter specifications or discontinue products without prior notice.


## Kuri-Clamp™ Heavy Duty Worm Gear Clamp



Arched slots for added strength and smoother screw engagement

9/16" band width (heavy duty)

Quadra-lock housing-saddle eliminates risk of seam separation. Eliminates "lift & twist."



**Kuri-Clamp™**

Others

Even Sealing Pressure – Quality controlled to comply with military standards.

### WGC-CSHD Series WGC-SSHD Series

#### General Applications:

- Aircraft
- Industrial

**Construction (WGC-CSHD):** Four-piece construction consisting of a 9/16" wide, 300 series stainless steel band; plated carbon steel hex screw with 5/16" head and two-piece, 300 series stainless steel housing.

**Construction (WGC-SSHD):** Four-piece construction consisting of a 9/16" wide, 300 series stainless steel band; stainless steel hex screw with 5/16" head and two-piece, 300 series stainless steel housing.

#### Features and Advantages:

- **Quadra-Lock Housing** – Four-piece, quadra-lock housing design: added saddle eliminates risk of seam separation, virtually eliminating housing "lift and twist".
- **Evenly Distributed Radial Pressure** – Quality controlled to military standard specifications for even distribution of sealing pressure. Eliminates leakage caused by uneven housings and provides higher sealing pressure with lower applied torque.
- **Arched, Perforated Slots** – Provides for more overall steel between perforations for added band strength and allows for smoother engagement.
- **Heavy Duty Stainless Steel Band** – 300 Series stainless steel band provides durability and superior corrosion resistance. Wider than standard clamps for greater strength.
- **Hex Screw** – Sharply defined hex angles for better gripping power. More threads per screw results in increased torque strength.
- **Meets Industry Standards** – Clamps are SAE J1508 Type F and RoHS compliant.
- **Torque Rating** – Suggested installation torque of 25-37 inch pounds (WGC-CSHD), and 30-45 inch pounds (WGC-SSHD).

Because we continually examine ways to improve our products, we reserve the right to alter specifications or discontinue products without prior notice.



## Kuri-Clamp™ Heavy Duty Worm Gear Clamp

**Kuri-Clamp™ Heavy Duty  
Worm Gear Clamp**  
*Stainless Steel Band & Housing with  
Carbon Steel Screw*

**Kuri-Clamp™ Heavy Duty  
Worm Gear Clamp**  
*Stainless Steel Band, Housing, & Screw*

### Nominal Specifications

Part Number	Size Range (in)	Pieces Per Box	Band Width (in)	Torque Rating (in/lbs)	Weight Per Box (lbs)
WGC-CSHD06	7/16 - 25/32	10	9/16	25-37	0.60
WGC-CSHD08	1/2 - 29/32	10	9/16	25-37	0.60
WGC-CSHD10	9/16 - 1 1/16	10	9/16	25-37	0.60
WGC-CSHD12	11/16 - 1 1/4	10	9/16	25-37	0.60
WGC-CSHD16	13/16 - 1 1/2	10	9/16	25-37	0.70
WGC-CSHD20	13/16 - 1 3/4	10	9/16	25-37	0.70
WGC-CSHD24	1 1/16 - 2	10	9/16	25-37	0.80
WGC-CSHD28	1 5/16 - 2 1/4	10	9/16	25-37	0.80
WGC-CSHD32	1 9/16 - 2 1/2	10	9/16	25-37	0.80
WGC-CSHD36	1 13/16 - 2 3/4	10	9/16	25-37	0.90
WGC-CSHD40	2 1/16 - 3	10	9/16	25-37	0.90
WGC-CSHD44	2 5/16 - 3 1/4	10	9/16	25-37	0.90
WGC-CSHD48	2 9/16 - 3 1/2	10	9/16	25-37	1.00
WGC-CSHD52	2 13/16 - 3 3/4	10	9/16	25-37	1.10
WGC-CSHD56	3 1/16 - 4	10	9/16	25-37	1.10
WGC-CSHD60	3 5/16 - 4 1/4	10	9/16	25-37	1.20
WGC-CSHD64	3 9/16 - 4 1/2	10	9/16	25-37	1.20
WGC-CSHD72	1 7/8 - 5	10	9/16	25-37	1.30
WGC-CSHD80	2 1/2 - 5 1/2	10	9/16	25-37	1.40
WGC-CSHD88	3 1/8 - 6	10	9/16	25-37	1.40
WGC-CSHD96	3 5/8 - 6 1/2	10	9/16	25-37	1.50
WGC-CSHD104	4 1/8 - 7	10	9/16	25-37	1.50
WGC-CSHD128	5 5/8 - 8 1/2	10	9/16	25-37	1.60
WGC-CSHD152	7 1/8 - 10	10	9/16	25-37	1.70
WGC-CSHD188	9 3/8 - 12 1/4	10	9/16	25-37	1.90

\* CLAMPS ONLY SOLD IN BOX QUANTITIES

### Nominal Specifications

Part Number	Size Range (in)	Pieces Per Box	Band Width (in)	Torque Rating (in/lbs)	Weight Per Box (lbs)
WGC-SSHD06	7/16 - 25/32	10	9/16	30-45	0.60
WGC-SSHD08	1/2 - 29/32	10	9/16	30-45	0.60
WGC-SSHD10	9/16 - 1 1/16	10	9/16	30-45	0.60
WGC-SSHD12	11/16 - 1 1/4	10	9/16	30-45	0.60
WGC-SSHD16	13/16 - 1 1/2	10	9/16	30-45	0.70
WGC-SSHD20	13/16 - 1 3/4	10	9/16	30-45	0.70
WGC-SSHD24	1 1/16 - 2	10	9/16	30-45	0.80
WGC-SSHD28	1 5/16 - 2 1/4	10	9/16	30-45	0.80
WGC-SSHD32	1 9/16 - 2 1/2	10	9/16	30-45	0.80
WGC-SSHD36	1 13/16 - 2 3/4	10	9/16	30-45	0.90
WGC-SSHD40	2 1/16 - 3	10	9/16	30-45	0.90
WGC-SSHD44	2 5/16 - 3 1/4	10	9/16	30-45	0.90
WGC-SSHD48	2 9/16 - 3 1/2	10	9/16	30-45	1.00
WGC-SSHD52	2 13/16 - 3 3/4	10	9/16	30-45	1.10
WGC-SSHD56	3 1/16 - 4	10	9/16	30-45	1.10
WGC-SSHD60	3 5/16 - 4 1/4	10	9/16	30-45	1.20
WGC-SSHD64	3 9/16 - 4 1/2	10	9/16	30-45	1.20
WGC-SSHD72	1 7/8 - 5	10	9/16	30-45	1.30
WGC-SSHD80	2 1/2 - 5 1/2	10	9/16	30-45	1.40
WGC-SSHD88	3 1/8 - 6	10	9/16	30-45	1.40
WGC-SSHD96	3 5/8 - 6 1/2	10	9/16	30-45	1.50
WGC-SSHD104	4 1/8 - 7	10	9/16	30-45	1.50
WGC-SSHD128	5 5/8 - 8 1/2	10	9/16	30-45	1.60
WGC-SSHD152	7 1/8 - 10	10	9/16	30-45	1.70
WGC-SSHD188	9 3/8 - 12 1/4	10	9/16	30-45	1.90

\* CLAMPS ONLY SOLD IN BOX QUANTITIES

Because we continually examine ways to improve our products, we reserve the right to alter specifications or discontinue products without prior notice.

