



CGDP



VRP-PROBE

CGDP Series (Aluminum Part D w/Probe)
Aluminum Vapor Recovery Coupler with Female Coupler X Female NPT

Brass Probe (Brass Replacement Probe for Vapor Recovery Items)
For VRP-A, VRP-P, DAP, CGDP

VIEW ONLINE



SCAN FOR INFO
or visit
KOA.link/VAPOR

GENERAL APPLICATIONS

Kuriyama Camlock Couplings are intended for use in many industrial applications. To learn more, please refer to pages 296-297 in this catalog.

FEATURES AND ADVANTAGES

- High quality design made for use in petroleum markets with bottom loading applications.
- Each coupling comes with a probe for connecting with male vapor coupling.
- Aluminum alloy specially designed for high tensile strength and impact resistance.
- Supplied with forged brass handles, which results in less wear on connecting parts.

MATERIAL SPECIFICATIONS

- ASTM aluminum alloy.
- Zinc-plated carbon steel handle pins, pull rings and safety clips.
- Supplied with brass probe.
- Buna-N gasket included.

Part Number	Female Coupler Size (in)	NPT Size (in)	PSI Rating at 70°F	ASTM Specification	Weight Each (lbs)	Standard Carton
CGDP-A4030	4	3	150	B26 Grade 713	3.08	4
CGDP-A4040	4	4	150	B26 Grade 713	3.80	4

Part Number	Size (in)	Standard Carton	ASTM Specification	Weight Each (lbs)
VRP-PROBE	3/16	1	B26 Grade 713	0.14

Because we continually examine ways to improve our products, we reserve the right to alter specifications or discontinue products without prior notice.